Grand Sea cemented carbide plate/blanks the common size of lengh\*wide is 200\*200mm. 150mm\*150mm, 105\*105m, 100\*100mm. The common hight from  $.0.5\sim75$ mm .

Or Customized size available as client's request!

## 标准产品

Standard products

规格 Specifications		公差Tol.(mm)			
		***************************************			
	T	L	W	精坯Ground	
1×100×100	+0.5~+1.5	+0~+2.0	+0~+2.0	±0.01	
2×100×100	+0.5~+1.5	+0~+2.0	+0~+2.0	±0.01	
4×100×100	+0.5~+1.5	+0~+2.0	+0~+2.0	±0.01	
5×100×100	+0.5~+1.5	+0~+2.0	+0~+2.0	±0.01	
6×100×100	+0.5~+1.5	+0~+2.0	+0~+2.0	±0.01	
8×100×100	+0.5~+1.5	+0~+2.0	+0~+2.0	±0.01	
10×100×100	+0.5~+1.5	+0~+2.0	+0~+2.0	±0.01	
15×100×100	+1.0~2.5	+0~+2.0	+0~+2.0	±0.01	
20×100×100	+1.0~2.5	+0~+2.0	+0~+2.0	±0.01	
26×100×100	+1.0~2.5	+0~+2.0	+0~+2.0	±0.01	
30×100×100	+1.0~2.5	+0~+2.0	+0~+2.0	±0.01	
40×100×100	+1.0~2.5	+0~+2.0	+0~+2.0	±0.01	
50×100×100	+1.0~2.5	+0~+2.0	+0~+2.0	±0.01	
60×100×100	+1.0~+3.0	+0~+2.0	+0~+2.0	±0.01	
70×100×100	+1.0~+3.0	+0~+2.0	+0~+2.0	±0.01	
75×100×100	+1.0~+3.0	+0~+2.0	+0~+2.0	±0.01	

## 非标准产品

Non standard products

规格		公差Tol.(mm)		
Specifications	毛坯 Blanks			9±4T.C
Specifications.	T	L	W	精坯Grounds
H (5.0~45) ×100×50	参照上表公差 Tolerances as per standard	±0~+2.0	±0~+2.0	±0.01
H ( 5.0 ~ 45 ) ×120×120		±0~+3.0	±0~+3.0	±0.01
H ( 5.0 ~ 60 ) ×150×150		±0~+4.0	±0~+4.0	±0.01
H (5.0 ~ 75 ) ×180×180	products	±0~+5.0	±0~+5.0	±0.02
H ( 5.0 ~ 65 ) ×200×200		±0~+5.0	±0~+5.0	±0.02

## **Grade Recommendation**

材质名称 ( Grade)	WC (%)	CO ( % )	晶粒度 Grain size (um)	比重 Density (g/cm²)±0.1	硬度 Hardness (HRA)±0.5	抗折力 TRS (kgf/mm <sup>2</sup> )
HG2	94	6	1.2	14.95	91.3	>280
HG3	92	8	1.2	14.75	90.5	>280
HG4	90	10	1.2	14.50	90.0	>280
HG5	88	12	1.2	14.30	89.0	>280
HG6	85.5	14.5	2.0	14.00	86.5	>300
HG7	83.4	16.6	1.6	13.75	85.5	>280
H12S	88	12	0.6	14.25	91.5	>350
HGF20	88.5	11.5	0.8	14.25	91.0	>320
HGF25	87	13	1.0	14.10	90.0	>320
HGF30	85	15	1.0	13.90	89.0	>320
HD9	78	22	2.0	13.05	82.5	>280
HD11	79	21	1.6	13.45	84.5	>280
HD12	76	24	2.0	13.15	83.0	>280