Пластина / заготовки из цементированного карбида Grand Sea, общая длина которых составляет 200 \* 200 мм. 150мм \* 150мм, 105 \* 105м, 100 \* 100мм. Общая высота от  $.0.5 \sim 75$ мм.

Или подгонянный размер доступный как запрос клиента!

标准产品 Standard products

| 规格<br>Specifications |           | ttire l |         |          |
|----------------------|-----------|---------|---------|----------|
|                      |           |         |         |          |
|                      | T         | L       | W       | 精坯Ground |
| 1×100×100            | +0.5~+1.5 | +0~+2.0 | +0~+2.0 | ±0.01    |
| 2×100×100            | +0.5~+1.5 | +0~+2.0 | +0~+2.0 | ±0.01    |
| 4×100×100            | +0.5~+1.5 | +0~+2.0 | +0~+2.0 | ±0.01    |
| 5×100×100            | +0.5~+1.5 | +0~+2.0 | +0~+2.0 | ±0.01    |
| 6×100×100            | +0.5~+1.5 | +0~+2.0 | +0~+2.0 | ±0.01    |
| 8×100×100            | +0.5~+1.5 | +0~+2.0 | +0~+2.0 | ±0.01    |
| 10×100×100           | +0.5~+1.5 | +0~+2.0 | +0~+2.0 | ±0.01    |
| 15×100×100           | +1.0~2.5  | +0~+2.0 | +0~+2.0 | ±0.01    |
| 20×100×100           | +1.0~2.5  | +0~+2.0 | +0~+2.0 | ±0.01    |
| 26×100×100           | +1.0~2.5  | +0~+2.0 | +0~+2.0 | ±0.01    |
| 30×100×100           | +1.0~2.5  | +0~+2.0 | +0~+2.0 | ±0.01    |
| 40×100×100           | +1.0~2.5  | +0~+2.0 | +0~+2.0 | ±0.01    |
| 50×100×100           | +1.0~2.5  | +0~+2.0 | +0~+2.0 | ±0.01    |
| 60×100×100           | +1.0~+3.0 | +0~+2.0 | +0~+2.0 | ±0.01    |
| 70×100×100           | +1.0~+3.0 | +0~+2.0 | +0~+2.0 | ±0.01    |
| 75×100×100           | +1.0~+3.0 | +0~+2.0 | +0~+2.0 | ±0.01    |

## 非标准产品

Non standard products

| 规格                      |   | 公差Tol.(mm) |         |           |
|-------------------------|---|------------|---------|-----------|
| Specifications          | 毛坯 Blanks   |            |         | 9±4T.C    |
| - pecinicalions         | T   | L          | W       | 精坯Grounds |
| H (5.0~45) ×100×50      |   | ±0~+2.0    | ±0~+2.0 | ±0.01     |
| H ( 5.0 ~ 45 ) ×120×120 | 参照上表公差<br>Tolerances as<br>per standard<br>products | ±0~+3.0    | ±0~+3.0 | ±0.01     |
| H ( 5.0 ~ 60 ) ×150×150 |   | ±0~+4.0    | ±0~+4.0 | ±0.01     |
| H (5.0 ~ 75 ) ×180×180  |   | ±0~+5.0    | ±0~+5.0 | ±0.02     |
| H ( 5.0 ~ 65 ) ×200×200 |   | ±0~+5.0    | ±0~+5.0 | ±0.02     |

## класс Рекомендация

| 材质名称<br>( Grade) | WC<br>(%) | CO<br>( % ) | 晶粒度<br>Grain size<br>(um) | 比重<br>Density<br>(g/cm²)±0.1 | 硬度<br>Hardness<br>(HRA)±0.5 | 抗折力<br>TRS<br>(kgf/mm <sup>2</sup> ) |
|------------------|-----------|-------------|---------------------------|------------------------------|-----------------------------|--------------------------------------|
| HG2              | 94        | 6           | 1.2                       | 14.95                        | 91.3                        | >280                                 |
| HG3              | 92        | 8           | 1.2                       | 14.75                        | 90.5                        | >280                                 |
| HG4              | 90        | 10          | 1.2                       | 14.50                        | 90.0                        | >280                                 |
| HG5              | 88        | 12          | 1.2                       | 14.30                        | 89.0                        | >280                                 |
| HG6              | 85.5      | 14.5        | 2.0                       | 14.00                        | 86.5                        | >300                                 |
| HG7              | 83.4      | 16.6        | 1.6                       | 13.75                        | 85.5                        | >280                                 |
| H12S             | 88        | 12          | 0.6                       | 14.25                        | 91.5                        | >350                                 |
| HGF20            | 88.5      | 11.5        | 0.8                       | 14.25                        | 91.0                        | >320                                 |
| HGF25            | 87        | 13          | 1.0                       | 14.10                        | 90.0                        | >320                                 |
| HGF30            | 85        | 15          | 1.0                       | 13.90                        | 89.0                        | >320                                 |
| HD9              | 78        | 22          | 2.0                       | 13.05                        | 82.5                        | >280                                 |
| HD11             | 79        | 21          | 1.6                       | 13.45                        | 84.5                        | >280                                 |
| HD12             | 76        | 24          | 2.0                       | 13.15                        | 83.0                        | >280                                 |